

2025-04-23 10:00:00

fig. 1A

fig. 1B




Figure 1. Transient acneiform eruption caused by a single PDT treatment. (A) Baseline; (B) one week post-treatment.

CONFIDENTIAL





fig. 2A

CONFIDENTIAL




Follow-up visit (week)

----- = Single treatment group, _____ = Multiple treatment group

Fig. 2B

204773 432660




Follow-up visit (week)

----- = Single treatment group, _____ = Multiple treatment group

fig. 2c

CONFIDENTIAL



Follow-up visit (week)

----- = Single treatment group, _____ = Multiple treatment group

Fig. 2D

Fig. 3A




fig. 3B




Fig. 3C




Fig 3D




Fig: 3E





Fig. 3f







fig. 4

Figure 4. Fluorescence of porphyrin from bacteria in follicles (red dots) decrease after a single PDT. Photographs were taken as described at baseline (A), week 3 (B), and week 20 (C) post-PDT.

204470" 42052000

fig. 5






fig. 6

Fig. 7A





Fig. 7B



2011101400000000

Fig-8A






Fig-8B



204470 40000000

fig. 9



204770-10262650

Fig. 10A




Fig. 10B




Fig. 10C



204470" 40062660




Fig. 11




fig. 12

20110113 13:00:00